

C00169 Standard Banding Tool



- Band & Buckle
- BAND-FAST®

Junior Adapters Below J05069 Junior® Heavy Duty Adapter



BAND-IT® Tool on the BAND-IT® Junior Smooth ID Preformed Clamps

J00169 Junior® Clamp Adapter



Use with

BAND-IT[®] Tool on the BAND-IT[®] Junio Smooth ID Preformed Clamps

C00269 Junior® Preformed Clamp Tool



Use with

BAND-IT[®] Junior[®] Smooth ID Preformed Clamps

C00369 Heavy Duty Banding Tool



BAND-FAST® & Roll Band

BAND-IT's standard tool with an adapter built in for Junior® Smooth ID clamps. For use on band widths of 1/4" to 3/4" (.015" - .030" thickness).

Replacement Parts:

- C02499 Slide Block Assembly
- C01899 Kit, Gripper Assembly
- C05887 Kit, Cutter Bar Assembly
- C00689 Kit, Tension Handle, Bearing and Screw

Used only with the C00169 BAND-IT® Tool to install Junior® Smooth I.D. Preformed Clamps for hose assembly when a vise in not available.

Replacement Parts:

- J00587 Shear Hook
- J93099 Junior[®] Lock Universal Cutter Blade Kit

Replacement Parts:

- J00587 Shear Hook
- J93099 Junior® Lock Universal Cutter Blade Kit


Use to apply Junior® Preformed clamps and BAND-IT® Junior® Smooth ID Clamps. Tool performs best when used in a vice on band widths over 1/2".

Replacement Parts:

- C00689 Tension Handle and Screw Kit
- C01899 Gripper Assembly Kit
- J01499 Handle Assembly Jr. Adapter
- J93099 Cutter Blade Kit

The C00369 is a heavy duty version of the C00169 tool. Primarily designed for thicker materials and is not recommended for band widths 0.015" or 0.020". This tool can be used for 0.044" X 3/4" wide Giant Band. Tool will tension beyond the limits of the 3300 lbs of force to yield 3/4" wide 201SS Giant Band. **Replacement Parts:**

- C04799 Spin Grip, External Retaining Ring, Tension Handle Bushing, Tension Handle, Set Screw, and Thrust Bearing
- C06799 Tension Screw 5/8", Eccentric Lever Pivot Pin, Gripper Spring, Band Gripper, and Slide Block
- C05887 Cutter Bar Handle, Vinyl Grip, Set Screw, and Cutter Bar



HAND TOOLS

CB1000

Use with

- Ball-Lok Ties
- Ball-Lokt[™] Ties
- Multi-Lok Ties

XE9229 Tensioning Tool

Use with

- Ball-Lok Ties
- Ball-Lokt[™] Ties
- Multi-Lok Ties

C07569 Bantam Tool

Use with

- BAND-IT Ties
- PPA Coated Band
- Ball-Lok Ties
- Ball-Lokt[™] Ties
- BAND-FAST®

K50289 Ball-Lok Tool

Use with

- Ball-Lok Ties
- Ball-Lokt[™] Ties

M50389 Multi-Lok Hand Tool

Use with

Multi-Lok Ties

BAND-IT[®] CB1000 cable bundling tool is very compact and rugged! It's the ideal hand tool for installing heavy duty self locking stainless steel cable ties up to 16mm in size.

- Heavy duty 4140 Chromoly Construction can tension up to 1,000lbs
- Nose design gives flush cut-off
- X-Style winding mandrel allows easy clamp tail insertion
- Ergonomically designed handle provides greater comfort
- · 3 way handle adjusts for one or two-handed tensioning

Tensions and cuts off Ball-Lok, Ball-Lokt[™] and Multi-Lok ties up to 12mm wide regardless of material or coating.

BAND-IT[®] Bantam tool is a compact, lightweight, ratchet action tool with built in cutter.

- 3 way handle adjusts for one or two-handed tensioning
- Zinc plated for corrosion resistance
- Useful in tight areas with minimal access
- · Designed for easy loading and removing of material
- Use with coated and uncoated BAND-IT[®] ties or Coated Band up to 19mm wide.

Install Ball-Lok and Ball-Lokt[™] stainless steel ties (up to 7.9mm wide) quickly and easily with the lightweight, portable Ball-Lok tool with adjustable tension, side loading and automatic tail cut-off.

Quickly, easily and consistently applies any size Multi-Lok ties. Simply adjust the Multi-Lok tool for the desired tension, slip the Multi-Lok in the slot, or side load, and squeeze the handle. When the proper tension is reached, the Multi-Lok tool automatically cuts the tail off flush with the buckle.



A91079 Mini Tie-Lok II Tool

Use with

 0.177" wide (4.5mm) Mini Tie-Lok[®] Ties



A92079 Tie-Lok® II Tool

Use with

• 1/4" wide (6.35mm) Tie-Lok® Ties

TL3800 Tie-Lok® Tool

Use with

 Tie-Lok[®] Stainless Steel Ties in 3/8" width (9.53mm) only

A94079 ULTRA-LOK® Tool

Use with

Ultra-Lok[®] Ties

AE2009 Tool





For applying 0.177" wide smooth ID Mini Tie-Lok® ties for cable bundling, hose bundling and identification tagging. Forms unique dimple lock with a strong locking force and cuts off the excess band flush with top of buckle so the completed lock is smooth and not sharp.

- Forms dimple lock with a strong locking force in excess of 100 pounds (45 Kg)
- · Adjustable controlled tension with repeatable results
- · Easy to use, lightweight, compact design

Applies 1/4" wide smooth ID Tie-Lok[®] ties used in cable bundling, hose bundling, CV boot installation and identification tagging. Locks tie with the patented Tie-Lok[®] and cuts off excess band flush with top of buckle so the completed lock is smooth and not sharp.

- Forms dimple lock with a strong locking force in excess of 250 pounds (130 Kg)
- Adjustable controlled tension with repeatable results
- Easy to use, lightweight, compact design

The TL3800 Tie-Lok[®] tool is specifically designed to install 3/8" wide Tie-Lok[®] stainless steel ties. Repeatable, controlled tie tension. Punch depth limiter. Light weight, compact design. Cut off produces clean hidden edges.

Applies Smooth ID ULTRA-LOK[®] ties. Locks tie with patented ULTRA-LOK[®] cut-off for increased loop tensile strength.

· Tool will tension clamp up to 400lbs of loop tensile strength

The AE2009 hand tool is used for tensioning BAND-IT[®] cable ties. Use with: BAND-IT Ties, Ball-lok Ties, Ball-Lokt[™] Ties and Multi-Lok Ties.

The AE2019 Tensioning Hook is used for tensioning BAND-IT[®] cable ties. Use with: BAND-IT Ties, Ball-lok Ties, Ball-Lokt[™] Ties and Multi-Lok Ties.



UL9010 ULTRA-LOK[®] Corded Tool



Use with

• Ultra-Lok® Band & Preformed Clamps

UL4000-D ULTRA-LOK[®] Cordless Tool



Use with

Ultra-Lok[®] Band & Preformed Clamps

IT Series Tool



Use with

 BAND-IT[®] Tie-Lok[®] Ties, and Junior[®] Smooth ID Preformed Clamps Ideal for hose clamping. Electric ULTRA-LOK® Tool clamps 3/4" or 1/2" ULTRA-LOK® band and ULTRA-LOK® preformed clamps. Designed for consistent repeatable tensioning. Adjustable speed and torque. Clamps can be applied four times faster than conventional clamps. Forms lock under full tension. Shear plate available to convert tool from 3/4" to 1/2" ULTRA-LOK® clamps.

Replacement Parts:

- M03990 Adapter Clutch
- M09387 Shear Plate for Installing 1/2" Wide UL Clamps
- M09887 Shear Plate for Installing 3/4" Wide UL Clamps
- M09787 Cutter Blade for Installing All UL Clamps
- C23187 Lubricant for Tension Threads
- UL1219 Handle Kit

Ideal for mobile installations. Now powered with a Lithium-ion battery, with longer charge and battery life, the UL4000-D battery charge lasts longer with consistent peak performance through the life of the battery.

Replacement Parts:

- M09387 Shear Plate for Installing 1/2" Wide UL Clamps
- M09887 Shear Plate for Installing 3/4" Wide UL Clamps
- M09787 Cutter Blade for Installing All UL Clamps
- C23187 Lubricant for Tension Threads
- UL1219 Handle Kit

The IT Series Tool (with air hose and regulator) is a hand held tool used for repeatable high production environments.

- · Can be fixtured into production system
- Variety of head configurations that allow installation of
 - .177", 1/4" and 3/8" Tie-Lok®
 - 1/4" Universal Clamps
 - 1/4" and 3/8" Jr.® Smooth ID Clamps
- · Ergonomic design for ease of use by hand
- · Heavy-duty cut-off and tensioning components
- Durable pneumatic system
- Easy to maintain

Available Versions.

- IT0750 For all .177" Mini Tie-Lok® Ties
- IT1000 For all 1/4" Tie-Lok® Ties and 1/4" Universal Clamps
- IT2000 For all 1/4" BAND-IT Junior[®] Clamps
- IT5000 For all 3/8" BAND-IT Junior[®] Clamps
- IT6000 For all 3/8" Tie-Lok[®] Ties



S75099 Pneumatic Junior[®] Clamp Application Tool



 BAND-IT[®] Junior[®] Smooth ID Preformed Clamps

S35099 Pneumatic Junior[®] Clamp Automatic Air Tool



Use with

 BAND-IT[®] Junior[®] Smooth ID Preformed Clamps

SM1700 Pneumatic Automatic Center Punch Clamp Air Tool



Use with

 BAND-IT[®] Center Punch Preformed Clamps The "Standard Air Tool". The foot controlled standard air tool applies the complete range of BAND-IT Junior® and Junior® Smooth ID preformed clamps.

Replacement Parts:

- S45799 Band Gripper Kit
- J93099 Junior Lock Universal Cutter Blade Kit
- J00587 Shear Hook
- S45087 Tripper Plate

For high volume production clamping of all widths and diameter sizes of BAND-IT Junior[®] Smooth ID and Junior[®] preformed clamps. Automatically tensions and cuts off clamp tail after roll-up and lock.

Replacement Parts:

- S45799 Band Gripper Kit
- J93099 Junior Lock Universal Cutter Blade Kit
- S45087 Tripper Plate

Designed to install BAND-IT[®] Center Punch 5/8" wide preformed clamps, made from 201 Stainless Steel and Galvanized Carbon Steel. Automatically tensions and cuts off clamp tail.

Replacement Parts:

- S45199 CP Band Gripper Kit
- M17799 CP Cutter Blade Kit
- S45087 Tripper Plate