

# RIDGID®



## DRAIN CLEANING MACHINES

We  
Build  
Reputations™

**RIDGID®**



**EMERSON™**  
Commercial & Residential Solutions

# HAND TOOLS

Augers  
Grappler Hook  
Flat Sewer Tape  
Hand Spinners

Catalog No.	Model No.	Description	Weight	
			lb.	kg
46683	K-1	K-1 Combination Auger	5	2.3
59787	K-3	3' (1 m) Toilet Auger w/Bulb Head	4 1/2	1.9
59797	K-6	6' (2 m) Toilet Auger w/Bulb Head	5 1/2	2.5
59802	K-6 DH	6' Toilet Auger w/Drop Head	5 1/2	2.5

Catalog No.	Model No.	Description	Cable Diameter		Length		Weight	
			in.	mm	ft.	m	lb.	kg
58890	K-25-BP	Hand Spinner with C-11C Bulb Auger Cable	5/16	8.0	25	7.6	8	3.6
58895	K-25-DH	Hand Spinner with C-21C Drop Head Cable	5/16	8.0	25	7.6	8	3.6
59812	K-26	Hand Spinner w/C1 Bulb Head Cable	5/16	8.0	25	7.6	6	2.70
41408	Power Spin	Hand Spinner with Bulb Auger	1/4	6	25	8	5	2.2
42163	MAXCORE Cable	MAXCORE Replacement Cable	1/4	6	25	8	3	1.4
41348	Kwik-Spin	Hand Spinner with C-11C Bulb Auger Cable	1/4	6.3	25	7.6	3.5	1.6



# SINK MACHINES

Application

Model

Bathroom/lavatory/kitchen sinks, tub/shower, urinal and laundry tub drains

Auto-Clean/  
K-40/K-45

Catalog No.	Model No.	Description	Cable Diameter		Cable Length		Weight	
			in.	mm	ft.	m	lb.	kg
34963	Auto-Clean	Auto-Clean Sink Machine	1/4	6	30	9	10	4.50
34893	Auto-Clean	Replacement Cable	1/4	6	30	9	1/2	0.60

Catalog No.	Model No.	Description	Voltage		Weight	
			V	lb.	kg	
71727	K-40	Machine with: C-131C, 5/16" x 35' (10.7m) Cable w/Inner Drum	230	29	13	
71732	K-40AF	Machine with: AUTOFEED, Guide Hose, Mounting Bracket, C-131C SB, 5/16" x 35' (10.7m) Speed Bump Cable w/Inner Drum	230	33	15	
78347	K-40B AF	Battery Powered Machine with: AUTOFEED, Guide Hose, Mounting Bracket, C-131C SB, 5/16" x 35' (10.7m) Cable w/Inner Drum, (2) 14.4V Battery Packs, 14.4V Battery Charger	-	24	11	
71717	K-40 AF 110 V	Machine with: AUTOFEED, Guide Hose, Mounting Bracket, C-131C SB, 5/16" x 35' (10.7m) Speed Bump Cable w/Inner Drum	-	-	-	



	Catalog No.	Model No.	Description	Weight	
				lb.	kg
K-45AF	36033	K-45AF	Machine with: - C-11C, 5/16" (8 mm) x 25' (7.6 m) Inner Core Cable w/Inner Drum	13.8	6.5
	36038	K-45AF-1	Same as Model No. K-45AF plus: C-6429 Carrying Case	27.0	12.2
	36043	K-45AF-5	Machine with: - C-11C, 5/16" (8 mm) x 25' (7.6 m) Inner Core Cable w/Inner Drum - C-6, 3/8" (10 mm) x 25' (10.7 m) Cable w/Inner Drum - T-250, Five-Piece Tool Set for 3/8" (10 mm) Cable - C-6429 Carrying Case	34.0	15.4
K-45	36018	K-45	K-45 Machine with: - C-11C, 5/16" x 25' Inner Core Cable w/Inner Drum	11.0	5.0
	36048	K-45	K-45 Machine with: - C-11C, 5/16" x 25' Inner Core Cable w/Inner Drum	11.0	5.0
	36013	K-45-1	Same as Model No. K-45 plus: C-6429 Carrying Case	11.0	5.0
	36053		Same as Model No. K-45 plus: C-6429 Carrying Case	27.0	12.2
	36058	K-45	K-45AF Machine with: - C-11C, 5/16" x 25' Inner Core Cable w/Inner Drum - C-6, 3/8" x 35' Cable w/Inner Drum - T-250, Five -Piece Tool Set for 3/8" Cable - C-6429 Carrying Case	34.0	15.4

# DRUM MACHINES

Application	Model
Bathroom/lavatory/kitchen sinks, tub/shower, urinal, laundry tub, roof vents and indoor floor drains	K-400
Bathroom/lavatory/kitchen sinks, tub/shower, urinal, laundry tub, roof vents and indoor floor drains	K-3800
House laterals/main drains/floor drains	K-6200
Laterals, main lines, commercial lines	K-750
	K-7500
	K-750R



Catalog No.	Model No.	Description	Weight	
			lb.	kg
27033	K-400 w/C- 45 IW	K-400 Machine w/RIDGID Drain Cleaning Gloves – C-45 IW 1/2" (12 mm) x 75' (23 m) Solid Core (Integral Wound) Cable – T-260 Tool Set	81	37.0
28103	K-400 AF w/C-45 IW	K-400 Machine w/RIDGID Drain Cleaning Gloves – AUTOFEED – C-45 IW 1/2" (12 mm) x 75' (23 m) Solid Core (Integral Wound) Cable – T-260 Tool Set	93	42.0
28098	K-400 AF w/C-32 IW	K-400 Machine w/RIDGID Drain Cleaning Gloves – AUTOFEED – C-32 IW 3/8" (10 mm) x 75' (23 m) Solid Core (Integral Wound) Cable – T-260 Tool Set	79	36.0
59462	K-3800	K-3800 Machine w/Gloves	42	19.0
63822	K-3800 w/C-45	K-3800 Machine w/Std. Equip: C-45, 1/2" x 75' Cable, T-102 Funnel Auger, T-142 Knife Blade Cutter, T-107 Spade Cutter, A-12 Pin Key, Pair of Gloves	83	37.7
63827	K-3800 w/C-32	K-3800 Machine w/Std. Equip: C-32, 3/8" x 75' Cable, T-202 Bulb Auger, T-205 "C" Cutter, T-211 Spade Cutter, A-13 Pin Key, Pair of Gloves	71	32.2
44202	K-750	Machine with Gloves and AUTOFEED - 3/4" Pigtail	114	51.9
51407	K-750	Machine with Gloves and AUTOFEED - 5/8" Pigtail	113	51.3
44212	K-750	Machine with One Pair of Gloves, w/C-100 AUTOFEED, Standard 3/4" Tool Set, and: C-100, 100' x 3/4" Cable	234	106.3
44217	K-750 w/C-27	Machine with One Pair of Gloves, AUTOFEED, Standard 5/8" Tool Set, and: C-27, 75' x 5/8" Cable	182	82.7
61522	K-7500	Machine w/5/8" (16 mm) Pigtail and Standard Accessories	149	67.8
61542	K-7500	Machine w/3/4" (20 mm) Pigtail and Standard Accessories	150	86.2



# SECTIONAL MACHINES

Line Size	Application	Model
3/4" to 4"	Bathroom/lavatory/kitchen sinks, tub/shower, urinal, laundry tub, roof vents and indoor floor drains	K-50
1 1/4" to 4"	Sink lines, roof vents and floor drains	K-60SP
2" to 8"	Floor/secondary lines, laterals and main lines	K-1500
2" to 10"	Laterals and main lines, commercial lines	K-1500SP
2" to 10"	Laterals and main lines, commercial lines – gasoline engine powered for remote locations	K-1500G

Catalog No.	Model No.	Description	Weight	
			lb.	kg
76455	K-50	Machine Only 230V	37	16.8
76475	K-50-4	230V Machine, with: A-30 Cable Kit	61	27.7
76485	K-50-6	230V Machine, with: -17-A Adapter, A-30 Cable Kit	67	30.4
76495	K-50-8	230V Machine, with: A-17-A Adapter, A-17-B Adapter, A-30 Cable Kit	77	34.9
66512	K-60SP	Machine with A-1 Operator's Mitt, A-12 Pin Key, and A-60-12 Rear Guide Hose	41	18.6
66517	K-60SP-SE	Machine with A-1 Operator's Mitt, A-12 Pin Key, and A-60-12 Rear, Guide Hose, plus: A-61 Tool Kit and A-62 Cable Kit	92	41.7
27592	K-1500A	Machine with A-1 Mitt, A-12 Pin Key, and A-34-12 Rear Guide Hose, Plus: Seven Sections 1 1/4" (C-11) Cable, Total 105 Feet, Two A-8 Cable Carriers, Nine-Piece 1 1/4" Tool Set*	256	116.1
27612	K-1500A	Machine with A-1 Mitt, A-12 Pin Key, and Rear Guide Hose	135	61.3
27597	K-1500B	Machine with A-1 Mitt, A-12 Pin Key, and A-34-12 Rear Guide Hose, Plus: Seven Sections 1 1/4" (C-11) Cable, Total 105 Feet, Two A-8 Cable Carriers, Nine-Piece 1 1/4" Tool Set	256	116.1
27617	K-1500B	Machine with A-1 Mitt, A-12 Pin Key, and A-34-12 Rear Guide Hose	135	61.3
27637	K-1500B	Machine with A-1 Mitt, A-12 Pin Key, and A-34-12 Rear Guide Hose, Plus: Seven Sections 1 1/4" (C-11) Cable, Total 105 Feet, Two A-8 Cable Carriers, Nine-Piece 1 1/4" Tool Set	256	116.1
33922	-	K-1500B Special Kit	210	95.0



# DRAIN CLEANING

RIDGID® drain cleaning tools, ranging from hand tools, sink machines, drum/sectional machines to jetters, have been delivering reliable performance to the skilled trades for decades.



## RODDER MACHINES

Line Size	Application	Model
8" to 24"	Straight main work in municipalities, universities, institutions and industry	K-1000

Catalog No.	Model No.	Description	Weight	
			lb.	kg
59175	K-1000	Rodder Machine, includes: – B-3542 Rod Driver – A-2704 Tool Driver – A-3567 Drive Pin – R-0 Rod Turner – A-4558 Torque Adapter – A-12 Coupling Pin Key – A-1 Left-Hand RIDGID Drain Cleaning Mitt – A-2 Right-Hand RIDGID Drain Cleaning Mitt	160	75
84295	K-1000	Rodder Machine, same as above, plus: – 20 Sections of A-2475, 3/16" (8 mm) Rod, Total of 100 Feet (30 m) – T-300 Spear Head Cutter – T-317 Auger – T-326 Pick-Up Tool	210	95



## WATER JETTERS

Line Size	Application	Model
1¼" to 4"	Sink lines/floor/secondary lines	KJ-1350 KJ-1750
1¼" to 6"	Sink lines/floor/secondary lines/laterals	KJ-2200
2" to 10"	Sink lines/floor/secondary lines/laterals/main lines	KJ-3100

Catalog No.	Model No.	Description	Weight	
			lb.	kg
62587	KJ-1350	KJ-1350 Standard Jetter with Pulse: H-21, H-22, and H-24 1/8" NPT Nozzles, 25' x 1/8" Sink Trap Hose, Nylon Storage Bag, Nozzle Cleaning Tool	70	31.7
62597	KJ-1350-C	Above With: H-10 Cart, 100' x 1/4" Trap Hose	120	54.4
63107	KJ-1350-2	KJ-1350 Jetter with Dual Pulse: H-21, H-22, and H-24 1/8" NPT Nozzles, 50' x 1/8" Sink Trap Hose, Nylon Storage Bag, Nozzle Cleaning Tool	72	32.7
63112	KJ-1350-2C	Above With: H-10 Cart, 100' x 1/4" Trap Hose	122	55.3
62687	KJ-1750	KJ-1750 Jetter with Dual Pulse: H-41, H-42, and H-44 1/8" NPT Nozzles, H-51 and H-52 1/4" NPT Nozzles, 50' x 1/8" Sink Trap Hose, Nylon Storage Bag, Nozzle Cleaning Tool	75	34.0
62697	KJ-1750-C	Above With: H-30 Cart, 110' x 1/2" Jet Hose	155	70.3
67332	67332	62687 with: H-10 Cart, 100' x 1/4" Trap Hose	125	56.7
63877	KJ-2200	KJ-2200 Jetter with Pulse – H-61, H-62, and H-64 1/8" NPT Nozzles – H-71 and H-72 1/4" NPT Nozzles – 75' x 3/16" Trap Hose – FV-1 Foot Valve – Nozzle Cleaning Tool – H-1235 Wash Wand Hose 1/2" x 35' (10.7 m)	65	29.5
63882	KJ-2200-C	Above With: – H-30 Cart – 110' (33 m) x 1/4" Jet Hose	145	65.8



Catalog No.	Model No.	Description	Weight		Weight w/o hose reel	
			lb.	kg	lb.	kg
37413	KJ-3100	KJ-3100 Jetter with Pulse – H-111 and H-112 1/4" NPT Nozzles – H-38 Hose Reel with 200' (61 m) x 3/8" ID Jet Hose – 50' (15 m) x 3/8" ID Jet/Wash Hose – FV-1 Foot Valve – Nozzle Cleaning Tool – HW-30 Wash Wand – Root Ranger Root Cutting Nozzle – HF-4 Quick Connect Hose	272	125	214	97



Ridge Tool Asia Pacific  
 CALL: +63 (2)214 6804  
 EMAIL: [ridgidfareast@emerson.com](mailto:ridgidfareast@emerson.com)  
 VISIT: [www.RIDGID.com](http://www.RIDGID.com)

